

Audio-Technica ESW DECT



Audio-Technica is to show its new Engineered Sound Wireless system for the first time at ISE2023, having recently launched the line in response to increasing demand for wireless microphone solutions for video- and web-conferencing. Designed for simple operation by end users, the ESW DECT overcomes challenges of conventional wireless systems such as frequency co-ordination – a roaming function also allows transmitters to connect to multiple receivers for wide-ranging coverage in larger venues.

The new system comprises the ESW-R4180DAN 8-channel DANTE-enabled receiver and a choice of four transmitters to suit a wide variety of applications – the ESW-T4101 bodypack with built-in microphone, ESW-T4102/C510 handheld, ESW-T4106 boundary mic and ESW-T4107 desk stand. Installation is straightforward, with a PoE power supply for the receiver and Dante audio output capabilities. Wiring is as simple as connecting a single Cat 5e cable to a PoE-compatible switching hub. This helps streamline the installation process, with no need to worry about having to

install multiple antennas. System integrators are able to configure detailed settings to meet a wide variety of end-user needs via Audio-Technica's Wireless Manager software, which is capable of managing multiple wireless systems, including UHF wireless systems, from a single screen. In addition, AES256 encryption support comes as standard, providing superior security.

The choice of transmitters all feature lithium-ion batteries for all day operation on a single charge - two charging options are available, the ESW-CHG4 two-bay body-pack and handheld charging station and ESW-CHG5 four-bay desk stand and boundary charging station. The charge stations provide full power recharge in as little as two hours and the stations can be linked (up to four CHG4 and two CHG5) with one AC adaptor and Cat 5e cable.

Transmitter specification key features are as follows:

ESW-T4101 Body-Pack Transmitter

- Built-in high-quality microphone
- Transmitter neck strap included
- Simple single-button operation
- Lightweight design
- Compact, sweat-resistant CH-type connectors for use with a variety of Audio-Technica microphones
- Two built-in antennas for stable operation

ESW-T4102/C510 Handheld Transmitter

- Comes equipped with cardioid dynamic capsule
- Compatible with a wide array of interchangeable Audio-Technica wireless microphone capsules
- Slide-to-mute switch
- Robust metal design

ESW-T4106 Boundary Microphone Transmitter

- Selectable omnidirectional and unidirectional polar patterns
- 2-state RGB LED mute status indicator (8 selectable colors)
- Transmitter can be used while charging via USB-C type connection
- Selectable mute operation (toggle, touch-to-talk, or touch-to-mute)
- Transmitter can be set to start either muted or unmuted

ESW-T4107 Desk Stand Transmitter

- Compatible with ES925 Series gooseneck microphones
- 2-state RGB LED mute status indicator (8 selectable colors)
- Transmitter can be used while charging via USB-C type connection
- Selectable mute operation (toggle, touch-to-talk, or touch-to-mute)

Tuesday, 31 January 2023 12:00

- Transmitter can be set to start either muted or unmuted

www.audio-technica.com