

## Lectrosonics DSSM



Lectrosonics introduces the DSSM, a new miniature, water-resistant digital bodypack transmitter with IP (Ingress Protection) rating of 57. The DSSM is the smallest transmitter with an IP57 rating and a removable battery, and represents the state of the art in miniature, watertight transmitter design. The DSSM will be available for sale individually as well as in ZS kits with USB-powered dual battery

charger. The CHSDSSM 4-bay, gangable charging dock will also be available separately.

The new DSSM transmitter includes the following key features:

- All-metal construction.
- Available in three frequency tuning range: A1B1 (470-614 MHz), B1C1 (537-691 MHz), and 941 (941-960 MHz).
- Removable antenna with SMA mount. Standard miniature 3-pin locking input connector.
- IP57 (Ingress Protection) rating: the DSSM is protected from dust and prevents water ingress for at least 30 minutes while immersed in water up to 1 Meter.
- Removable battery: The DSSM uses the Lectrosonics LB-50 rechargeable LiOn battery (PN#40106-1) from the IFBR1B and SSM product lines. This means that existing charging bays like the CHS12LB50, CHS12LB50a, and 40117 dual USB charger can be used with this new transmitter.
- Easy-to-use onboard buttons and rich display, with the same menu structure as the venerable DBSM family transmitters.
- USB jack located inside the battery compartment for firmware updates in the field, using Wireless Designer software.
- Drop-in charging with the optional CHSDSSM charging bay. This bay charges 4 units or batteries and can be connected to additional units so that up to 16 batteries or units in any combination can be charged from a single DCR5/9AU power supply (just like for the similar CHSIFBR1B).
- RF Power settings at 10 and 35 mW in D2 mode and 2 mW for HDM model.
- AES 256-bit CTR encryption with four key policies including Universal, Shared, Standard, and Volatile, for a wide variety of use cases including government, corporate, & sports coverage.
- Compatible with DSQD, DCHR, M2Ra, DSR, DSR4, and DCR822 receivers.

The DSSM is sold individually with antennas, reversible belt clip, battery, and zippered pouch. The DSSM is also sold in “ZS” kits with the dual-battery USB charger (PN#40117). The CHSDSSM 4-bay charging dock is also being introduced at the same time and can be used with any variant of the DSSM. This bay charges any mix of 4 units and/or LB-50 batteries and can be connected to 3 additional bays so that up to 16 batteries or units in any combination can be charged from a single DCR5/9AU power supply. This charger requires the DCR5/9AU power supply (not included). “The DSSM and related charging dock is a much-anticipated product in the Lectrosonics digital transmitter line,” says Karl Winkler, Lectrosonics EVP product design and distribution. “The selection of features, RF power, sound quality, drop-in charging, and IP57 moisture ingress rating make this transmitter unique, especially for the small size.”

Available in Q3, 2024. For pricing information on these products, please contact your authorized Lectrosonics dealer. The DSSM will be first publicly shown at the NAB show in Las Vegas, April 14-17, at the Lectrosonics booth C5507.

## Lectrosonics introduces the DSSM

Tuesday, 02 April 2024 18:25

---

[www.lectrosonics.com](http://www.lectrosonics.com)