

### Zoom AMS Series



Zoom introduces the new AMS Audio Interfaces AMS-22, AMS-24 and AMS-44. AMS Audio Interfaces are designed for musicians who want to record music with their DAW or easily livestream on platforms like YouTube and Twitch, without all of the typical complications.

The AMS-24 and AMS-44 feature our innovative Music / Streaming Switch. When switched to Music mode, you can record into your DAW with expanded input and output routing options. When switched to Streaming mode, all inputs are combined into a single signal so you can easily stream without needing additional complicated software.

The AMS-24 is perfect for solo streams and multi-instrument sessions. It features two XLR/TRS combo inputs along with Zoom's low-noise preamps. Also included are two headphone outputs and two TRS outputs for external monitors. Perfect for mobile recording or streaming, the AMS-22 includes an XLR/TRS combo input, plus a stereo line in. It also includes a headphone output and 2 TRS outputs for external monitors. Whether you're recording or streaming, the AMS-44 keeps your setup simple. It features four XLR/TRS combo inputs along with Zoom's high-performance, low-noise preamps. The interface also includes two headphone outputs and two TRS outputs for external monitors.

## Zoom unveils the new AMS Series USB-C Audio Interfaces

Thursday, 09 June 2022 12:38

---

With their onboard hardware switches, the AMS-24 and AMS-44 are designed to simplify common streaming challenges without the need for additional software. With onboard hardware switches, the AMS-22 is designed to simplify common streaming challenges without the need for additional software.

Toggle from recording to livestreaming with the Music / Streaming Switch. When in Music mode, each input acts independently with individual gain control. It also sends separate mixes to each headphone output. When in Streaming mode all inputs are combined into one signal to work seamlessly with your streaming software

Use the Direct Monitor Switch to send the input signal directly to your headphones while routing the same signal to your DAW or streaming software. The Loopback Switch combines the input audio with playback from your computer and routes it to your streaming software. This is perfect for adding background music to your stream or singing live with an instrumental track.

Switch Input 1 from mic or line level to guitar level (Hi-Z). The Stereo Link links two inputs for stereo recording or streaming, and allows you to control both inputs with one gain knob. The phantom power switch provides +48V phantom power for condenser microphones.

All three AMS interfaces can be powered from your PC or Mac via USB-C. Use external power when working from a tablet or mobile phone. Additionally, the AMS-24 and AMS-44 can also use two AA batteries.

## Zoom unveils the new AMS Series USB-C Audio Interfaces

Thursday, 09 June 2022 12:38

---



Use the AMS Series on any device thanks to its support for Mac and PC, along with iOS and Android devices. The AMS Series is designed to integrate seamlessly with commonly used software, apps and platforms. In Streaming mode, connect with your audience by streaming to popular platforms like YouTube, Facebook, Twitch, Instagram and Patreon. In Music mode, record with software like Adobe Audition, Pro Tools, Cubase and GarageBand.

[www.sound-service.eu](http://www.sound-service.eu)

[www.zoomcorp.com](http://www.zoomcorp.com)